

DATE	2019-11-22
Rev. No.	7
Page	1/5

1. IDENTIFICATION OF PRODUCT & COMPANY

1) Trade Name: NBR FLOAT

2) Chemical Name: NBR Foam (Synthetic Rubber)

3) Name of Raw Material: SMC-30 (per SM Inc. Formulation)

4) Manufacturer: SM Inc.

67-13, Juseok-ro 80beon-gil, Namyang-eup, Hwaseong-si, Gyeonggi-do, Korea

Emergency Phone: 82-31-8047-5152 FAX: 82-31-8047-5154

82-10-5274-0462(24 hours available)

2. COMPOSITION, INFORMATION ON INGREDIENTS

1) Substance : NBR synthetic rubber

2) Composition:

Pigments	CAS No.	%
Medium NBR	9003-18-3	35%
Phenol resin	9003-35-4	20%
Sulfur	7704-34-9	15%
Carbon	7440-44-0	15%
Others	-	15%

3) During manufacturing process, hydrogen sulfide (CAS No. 7783-06-4, less than 10 ppm) and ammonia (CAS No. 7664-41-7, less than 50 ppm) take places, however the remaining ingredients are not hazardous as defined in international standard.

3. HAZARDS IDENTIFICATION

· Effects of overexposure: May cause transient eye/skin irritation in sensitive individuals.

May cause nose/ throat irritation and headache while grinding or cutting.

1) NFPA RATINGS (SCALE 0~4): HEALTH = 0, FIRE = 1, REACTIVITY =1

2) Eye Contact: Flush eyes with water

3) Skin Contact: Wash thoroughly with soap and water

4) Ingestion: Not a likely route of exposure. Seek medical attention



DATE	2019-11-22	
Rev. No.	7	
Page	2/5	

4. FIRST-AID MEASURES

1) Inhalation: Remove to fresh air! – Seek medical attention

2) Skin Contact: Wash promptly with soap and water

3) Eye Contact: Immediately flush eyes with plenty amounts of water and get medical

attention

5. FIRE-FIGHTING MEASURES

1) Flash Point & Method: Not applicable

2) Flammable Limits: Not applicable

3) Extinguishing Media: Water, Dry Chemical, CO2, Foam

4) Special Fire Fighting Procedures

: Toxic fumes may evolve during a fire. Fire fighters should wear full body protection

5) Unusual Fire and Explosion Hazards: None

6. ACCIDENTAL RELEASE MEASURES

- Personal Precaution: When crushing, grinding, or heating material, vapors and dust should be exhausted. Use of this product in received form will not present a health hazard.
- 2) Environmental Precaution: Residual amounts of hydrogen sulfide may be emitted during machining. Over exposure is very bad due to irritating nature of hydrogen sulfide.
- 3) Method for Cleaning Up: Normal clean up.

7. HANDLING AND STORAGE

· Cool dry area is needed, because high temperature may cause decomposition to toxic fumes.

8. ENGINEERING CONTROLS / PERSONAL PROTECTION



DATE	2019-11-22	
Rev. No.	7	
Page	3/5	

 Respiratory Protection : Not normally required. May be necessary if airborne dust is present while grinding or machining.

2) Ventilation

Local : Required if dust levels exceed nuisance dust limits or vapors are present under heat

condition.

General: Recommended as with all industrial operations.

3) Personal Protection

Hand : Gloves as needed to avoid skin contact

Eye : Safety glasses or goggles.

Skin : Gloves as needed to avoid skin contact.

Other: Not Applicable

9. HAZARDS IDENTIFICATION

1) Hand / Skin Protection: Gloves

2) Eye Protection: Safety glasses or goggles

10. PHYSICAL AND CHEMICAL PROPERTIES

1) Appearance: Solid, Black hard rubber

2) Odor : Slightly sulfur3) pH : Not applicable

4) Boiling Point : Not applicable5) Flash Point : Not applicable6) Viscosity : Not applicable

7) Specific Gravity : 0.2 ~ 0.3 @ 25 $^{\circ}$ C

11. STABILITY AND REACTIVITY

- · Material is stable under normal temperature and pressure
- · Hazardous polymerization does not occur
- · Hazardous decomposition may cause evolving toxic fumes

12. TOXICOLOGICAL INFORMATION

Overexposure is not recommendable only in case of decomposition



DATE	2019-11-22	
Rev. No.	7	
Page	4/5	

13.	ECO	LOGICA	L INFO	ORMA	IOITA	N
-----	------------	--------	--------	------	-------	---

· Not Applicable

14. DISPOSAL CONSIDERATIONS

1) Disposal of Waste: Landfill

2) Disposal of Packaging : Landfill

3) National of Regional regulations: Not known.

15. TRANSPORT INFORMATION

· Not Applicable

16. REGULATORY INFORMATION

- · TSCA (Toxic Substances Control Act) : All ingredients are TSCA listed
- · The Others : Not Applicable

17. OTHER INFORMATION (Restriction of the use of Hazardous Substances)



DATE	2019-11-22	
Rev. No.	7	
Page	5/5	

Heavy Metals

Test Item	Unit	Result	Test Method
Cr ⁺⁶	mg/kg	Not Detected	IEC 62321-7-2:2017
Hg	mg/kg	Not Detected	IEC 62321-4:2013
Pb	mg/kg	Not Detected	IEC 62321-5:2013
Cd	mg/kg	Not Detected	IEC 62321-5:2013

Flame Retardants

Test Item	Unit	Result	Test Method
PBBs	mg/kg	Not Detected	IEC 62321-6:2015
PBDEs	mg/kg	Not Detected	IEC 62321-6:2015

Phthalates

			1
Test Item	Unit	Result	Test Method
DBP	mg/kg	Not Detected	IEC 62321-8:2017
BBP	mg/kg	Not Detected	IEC 62321-8:2017
DEHP	mg/kg	Not Detected	IEC 62321-8:2017
DIBP	mg/kg	Not Detected	IEC 62321-8:2017

However, no warranty is expressed or implied regarding the accuracy of these data or the result to be obtained from the use thereof.

SM Inc. assumes no responsibility for personal injury or property damage to vendees, users or third parties caused by the material.

^{*} The Information contained herein is based on data considered accurate.